

TENDER

FOR

SUPPLY & INSTALLATION OF EQUIPMENTS
FOR SCHOOL OF COMPUTING & ELECTRICAL
ENGINEERING, IIT MANDI



Tender No.: IITMANDI/Admin/PUR-134/2014-15/7217-18

Tender date: 03rd February, 2015

Last Date of submission: 25th February, 2015

Indian Institute of Technology,
Mandi

Transit Campus: Mandav Hotel, 2nd Floor (Near Bus Stand), Mandi – 175001
(H.P)

Tel.: 01905-237908

Email: satinder@iitmandi.ac.in

Indian Institute of Technology Mandi, Mandi invites tender for supply, erection & installation, of equipments, as per specifications given in the Annexure attached to the Tender form. All offers should be made in English and should be written in both figures and words. Tender forms can be downloaded from the website (<http://iitmandi.ac.in/administration/tenderseoi.html>) of the Institute.

The bidders are requested to read the tender document carefully and ensure compliance with all specifications/instructions herein. Non-compliance with specifications/instructions in this document may disqualify the bidders from the tender exercise. The Director, IIT Mandi, reserves the right to select the item (in single or multiple units) or to reject any quotation wholly or partly without assigning any reason. Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

Terms and Conditions:

1. The technical and financial bids should be quoted separately and put in different sealed envelopes marked “**Technical bid**” or “**Financial bid**” as applicable. These separate bids envelopes are to be put in an outer envelope which should also be sealed.
2. The Vendors who have earlier supplied the equipment to any of the IITs, IISc, IISERs and other Scientific Institute of National Repute may only tender. The details of such institutions and the cost with name of equipment may also be supplied with the bids.
3. The technical and financial bids should be submitted in original. The financial bid should include the cost of main equipment/item and its accessories. If there is any separate cost for installation etc. that should be quoted separately.
4. Each individual sealed envelope as well as the outer envelope should be marked with the following reference on the top left hand corner: “**IITMANDI/Admin/PUR-134/2014-15/7217-18/Item Name._____ dated 03.02.2015**”
5. The printed literature and catalogue/brochure giving full technical details should be included with the technical bid to verify the specifications quoted in the tender. The bidders should submit copies of suitable documents in support of their reputation, credentials and past performance.
6. The rates should be quoted in figures (typed or printed) and cutting should be avoided. The final amount should be in figures as well as in words. If there are cuttings, they should be duly initialed, failing which the bids are liable to be rejected.
7. Any bids received after **1:00 P.M. on 25th February, 2015** shall not be considered
8. The Technical Bids will be opened on **25th February, 2015 at 03:00 P.M.** The date & time for opening of Financial Bids will be informed later to the technically qualified bidders.
9. While sending rates, the firm shall give an undertaking to the effect that “*the terms/conditions mentioned in the enquiry letter/Tender Notice against which the rates are being given are acceptable to the firm.*” In case the firms do not give this undertaking, their rates will not be considered.
10. If the supplier/firm is original equipment manufacturer (OEM)/authorized dealer/sole distributor of any item, the certificate to this effect should be attached.
11. The quantity shown against the item is approximate and may vary as per demand of the Institute at the time of placing order.

12. All tender documents should have to be sent through courier, speed post or registered post only. All tender documents received after the specified date and time shall not be considered.

The postal address is:

**“Assistant Registrar, Stores and Purchase”
Indian Institute of Technology Mandi (IIT Mandi),
Administrative Block (Mandav Hotel,
Near Bus Stand), Mandi – 175001 (H.P), India”**

13. In the event of any dispute or difference(s) between the vendee Institute (IIT Mandi) and the vendor(s) arising out of non-supply of material or supplies not found according to specifications or any other cause whatsoever relating to the supply or purchase order before or after the supply has been executed, shall be referred to “The Director, IIT Mandi”, Mandi who may decide the matter himself or may appoint arbitrator(s) under the arbitration and conciliation Act, 1996. The decision of the arbitrator shall be final and binding on both the parties.
14. The place of arbitration and the language to be used in arbitral proceedings shall be decided by the arbitrator.
15. All disputes shall be subject to Mandi Jurisdiction only.
16. All tenders in which any of the prescribed conditions is not fulfilled or any condition is put forth by the tenderer shall be summarily rejected.
17. The bidders or their authorized representatives may also be present during the opening of the Technical Bid, if they desire so, at their own expenses.

Note: Price bids of only those bidders will be opened whose technical bids are found suitable by the committee appointed for the purpose. Date and time of opening of price bids will be decided after technical bids have been evaluated by the committee. Information in this regard will be posted on Institute’s web site / Notice board. In exceptional situation, an authorized committee may negotiate price with the qualified bidder quoting the lowest price before awarding the contract.

18. Clarifications:

In case the bidder requires any clarification regarding the tender documents, they are requested to contact our office (e-mail: satinder@iitmandi.ac.in & arsp@iitmandi.ac.in on or **before 16/02/2015**).

19. Tender Cost:

A Demand draft of **Rs. 1,000/- (Rupees One Thousand only)** towards non-refundable **tender fee, for each item being quoted, drawn in favour of “The Registrar, IIT Mandi”** payable at Mandi should accompany the Technical bid documents. If the same firm is submitting bids for more than one Item/instrument, they should submit the same in separate envelopes along with respective tender cost for each. In the absence of tender cost, the tender will not be accepted.

20. Earnest Money Deposit (EMD):

A refundable amount of EMD @ 2% of the quoted price as earnest money deposit (EMD) in the shape of DD from a scheduled bank in India (**valid for a minimum period of 3 months from the date of submission of tender**) should accompany the bid documents. The DD drawn in favour of “The Registrar, IIT Mandi” payable at Mandi should accompany the bid documents. The EMD should be kept in a separate sealed envelope, should be marked clearly and put in the outer envelope that contains the technical and financial bid envelopes. The bidders should enclose a pre-receipted bill for the EMD to enable us to return the EMD of unsuccessful bidders. Failure to deposit **Earnest Money in each**

case will lead to rejection of tender. The bidders should submit separate EMD for each item, if quoting for more than one item.

21. Pre – Qualification Criteria:

- a) Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original equipment manufacturer (OEM) on the same and specific to the tender should be enclosed.
- b) An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend support for the warranty as well.
- c) OEM should be internationally reputed Branded Company.
- d) Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between bidder specification and supporting documents etc. may lead to rejection of the bid.
- e) **Furnishing of wrong/ambiguous information in the compliance statement may lead to rejection of bid and further black listing of the bidder, if prima-facie it appears that the information in the compliance statement was given with a malafide/fraudulent intent.**

22. Prices:

- a) The Prices quoted should be inclusive of all taxes or duties, packing, forwarding, freight, insurance, delivery and commissioning etc. at destination site (IIT Mandi, Mandi). IIT Mandi is registered with DSIR, Govt. of India and is exempted from Custom / Excise Duty. Exemption Certificate to this effect will be issued by IIT Mandi. **Hence, Customs/Excise Duty exempted price should be quoted.** The rates shall be firm and final. Nothing extra shall be paid on any account. **In the price bid/financial bid, the vendor should clearly mention the final price breakup i.e. ex-work price/FCA price, FOB price, CIP/CIF price & FOR IIT Mandi, Kamand Campus price, as applicable in their bid.**
- b) In case of imported equipment(s)/item(s), the agency commission, if any, payable in Indian rupees should be mentioned separately. For imported equipment, the Letter of Credit will be opened for the amount excluding agency commission in Indian Rupees. The firm should clearly mention the address of foreign bank in the financial bid.

23. Validity:

The bid should be valid for acceptance up to a period of 180 Days. The Bidders should be ready to extend the validity, if required without any additional financial implications.

24. Delivery:

The Equipment should be delivered and installed within the period as specified in the purchase order and be ready for use within 24 weeks of the issue of purchase order unless otherwise prescribed. If the bidder fails to deliver and place any or all the Equipments or perform the service by the specified date, penalty at the rate of 1% per week of the total order value subject to the maximum of 10% of total order value will be deducted.

25. Training:

Bidders need to provide adequate training to the nominated persons of IIT Mandi at their cost. IIT Mandi will not bear any training expenditure.

26. Warranty Declaration:

Bidders must give the comprehensive on-site warranty as required from the date of successful

installation of Equipment against any manufacturing defects and also give the warranty declaration that *“everything to be supplied by us hereunder shall be free from all defects and faults in material, workmanship and shall be of the highest quality and material of the type ordered, shall be in full conformity with the specification and shall be complete enough to carry out the experiments, as specified in the tender document.*

Any deviation in the material and the specifications from the accepted terms may liable to be rejected and the bidders need to supply all the goods in the specified form to the satisfaction / specifications specified in the order / contract and demonstrate at their own cost.

27. Performance Bank Guarantee: A performance bank guarantee from a scheduled bank in India for an amount equal to 10% of the price for duration of two months beyond the expiry of warranty period will be taken from the supplier or Indian agent.

28. Terms of Payment:

Payment will generally be made only after delivery and satisfactory installation, testing, commissioning etc. **This must be specified in the tender/quotation.**

- In case of imported supplies, payment (excluding Indian agency commission, if any) will be made through irrecoverable Letter of Credit in two installments. 80 % of the money will be released on submission of shipping of documents. Remaining 20 % will be released after successful installation of the instrument and submission of a performance bank guarantee for 10% of the order value from a nationalized bank, valid for 2 months beyond the expiry of the warranty.

29. Tender expenses and documents:

All costs incurred by the bidder in the preparation of the tender shall be at the entire expense of the bidder.

30. Tender Evaluation Criteria:

The technical bids will be opened and evaluated by a duly constituted committee. After evaluation of the technical bid, the financial bid for only those offers which have qualified in the evaluation of technical bid will be opened.

31. Return of EMD:

- The earnest money of unsuccessful bidders will be returned to them without any interest within 30 working days after awarding the contract.
- The earnest money of the successful bidder will be returned to them without any interest within 30 Days after supply of material

32. Manual and documentation:

All the manuals necessary for operating and servicing the equipment (including details of electronic circuits) will have to be provided along with the instrument.

33. Bidders should go through the tender terms, conditions and specifications carefully and fill in the attached compliance statement accurately and unambiguously. They should ensure that all the required documents are furnished along with the bid.

Sd/-
Assistant Registrar
Stores & Purchase

BID PARTICULARS

1. Name of the Supplier :

2. Address of the Supplier :

3. Availability of demonstration of equipment: Yes / No

4. Tender cost enclosed: : Yes/No if yes

D.D. No. _____ Bank _____ Amount _____

5. EMD enclosed : Yes / No if Yes

D.D. No. _____ Bank _____

6. Name and address of the Officer/contact person to whom all references shall be made regarding this tender enquiry.

Name :

Address :

Telephone No. :

Fax No. :

Mobile No :

e-Mail :

Web :

Annexure 1

Ref:-ENQUIRYNO:-IITMANDI/Admin/PUR-134/2014-15/Item No.1/Auto Matching Radio Frequency (R.F) Power Supply

Procurement of Auto Matching Radio Frequency (R.F) Power Supply for sputtering system

IIT Mandi Looking for

Active front panel, Convenient, comprehensive operating menu, Customizable frequency tuning parameters, tightly regulated output power, Compact, streamlined design, Standard platform packaging, RS-232, Ethernet, and Profibus communication Auto Matching RF Power Supply.

The specifications required for RF Power Supply are given below:

- A. **Power Supply:** 600-800W
- B. **Auto Matching : Auto Pulse and Phase Synchronization, real time power and impedance with full digital display**
- C. **Arc management:** Arc trip point at less than or equal to 10% (or better preferable) of operating voltage.
- D. **Frequency:** 13.56 MHz \pm 0.05%
- E. **Input:** 220 V AC input options, \pm 10%, 50-60 Hz
- F. **Harmonics :** -45dBc(Minimum Preferable)
- G. **Set point:** \sim 3 to 6W (Minimum Preferable)
- H. **Reflected Power Limit:** Minimum Preferable
- I. **Control System:** Digital Control and Display with Power adjustable from 0 to 100% of maximum output range.
- J. **Cable Connector:** **Low noise** connectors with length from power supply to chamber \sim 2.5 to 3.5m (or more preferable).

Compliance statement for the tender specifications
INDIAN INSTITUTE OF TECHNOLOGY MANDI HIMACHAL
PRADESH-175001

Ref:-ENQUIRY NO:-IITMANDI/Admin/PUR-134/2014-15/Item No.1/Auto Matching Radio Frequency
(R.F) Power Supply

Instructions

1. You have to fill in all columns and ensure that you furnish all the required information accurately and unambiguously.
2. If our specification contains any values, you have to provide your values against the column in the same unit as we have specified.
3. Deviation in values, materials etc. from our specification may be explained in the remarks column

S. NO	Check list of documents/ Undertakings ?	YES/NO	Remarks (Give explanation if answer is No)
1	Is Tender fees attached?		
2	Is EMD attached? (if applicable)		
3	Is the bidder original equipment manufacturer (OEM)/authorised dealer?		
4	If authorised dealer, recent dated certificate to this effect from OEM, attached or not?		
5	Undertaking from OEM regarding technical support & extended warranty period		
6	Validity of 180 days or not?		
7	Undertaking from bidder regarding acceptance of tender terms & conditions		
8	Whether list of reputed users (along with telephone numbers of contact persons) for the past three years specific to the instrument attached.		
9	Whether special educational discount for Indian Institute of Technology (IIT) Mandi (H.P) given.		
10	Whether two weeks training of operator and research students without any charges offered.		
11	Does the instrument complies with all the specifications from S.no. A to J. Attach a separate sheet showing compliance with the specifications and explanations thereto if the equipments varies from the requested specifications.		
12	Whether free Installation, Commissioning and Application Training offered.		
13	Whether Three years comprehensive onsite extended warranty offered.		
14	Whether Annual maintenance after expiry of comprehensive onsite warranty quoted separately as optional.		

Annexure 2

Ref:-ENQUIRYNO:-IITMANDI/Admin/PUR-134/2014-15/ Item No.2/ Pulse DC Power Supply for Sputtering System

Procurement of Pulse DC Power Supply for sputtering system

IIT Mandi is looking for

Active front panel, Convenient, comprehensive operating menu, Customizable frequency tuning parameters, tightly regulated output power, Compact, streamlined design, Standard platform packaging, RS-232, Ethernet, Low substrate heating, Dual output for multi-chamber production

The following are the specifications required for Pulse DC Power Supply:

- A. **Power Supply:** 5 KW Pulse DC
- B. **Input:** 220 V AC input options, $\pm 10\%$, 50-60 Hz
- C. **Frequency:** 10 to 500 kHz Variable with option for Pure DC mode
- D. **Duty Cycle:** 10 to 80 % (for negative cycle)
- E. **Current:** 5 to 20A
- F. **Arc Control:** Detects Arc within 500 ns
- G. **Reverse Voltage:** 10% of operating voltage (Minimum Preferable)
- H. **Cooling:** Forced Air

Compliance statement for the tender specifications
INDIAN INSTITUTE OF TECHNOLOGY MANDI HIMACHAL
PRADESH-175001

Ref:-ENQUIRY NO:-IITMANDI/Admin/PUR-134/2014-15/ Item No.2 /Pulse DC Power Supply for sputtering system

Instructions

1. You have to fill in all columns and ensure that you furnish all the required information accurately and unambiguously.
2. If our specification contains any values, you have to provide your values against the column in the same unit as we have specified.
3. Deviation in values, materials etc. from our specification may be explained in the remarks column

S. NO	Check list of documents/ Undertakings ?	YES/NO	Remarks (Give explanation if answer is No)
1	Is Tender fees attached?		
2	Is EMD attached? (if applicable)		
3	Is the bidder original equipment manufacturer (OEM)/authorised dealer?		
4	If authorised dealer, recent dated certificate to this effect from OEM, attached or not?		
5	Undertaking from OEM regarding technical support & extended warranty period		
6	Validity of 180 days or not?		
7	Undertaking from bidder regarding acceptance of tender terms & conditions		
8	Whether list of reputed users (along with telephone numbers of contact persons) for the past three years specific to the instrument attached.		
9	Whether special educational discount for Indian Institute of Technology (IIT) Mandi (H.P) given.		
10	Whether two weeks training of operator and research students without any charges offered.		
11	Does the instrument complies with all the specifications from S.no. A to H. Attach a separate sheet showing compliance with the specifications and explanations thereto if the equipments varies from the requested specifications.		
12	Whether free Installation, Commissioning and Application Training offered.		
13	Whether Three years comprehensive onsite extended warranty offered.		
14	Whether Annual maintenance after expiry of comprehensive onsite warranty quoted separately as optional.		

Annexure 3

Ref:-ENQUIRYNO:-IITMANDI/Admin/PUR-134/2014-15/ Item No.3/Turbo Molecular Pump

Procurement of Turbo Molecular Pump (TMP) for sputtering system

The following are the specifications required for turbo molecular pump compatible with corrosive gases:

1. **Main features for Turbo Molecular Pump:**

- Lubricant-free, magnetically levitated rotor bearings
- High foreline pressure tolerance so that it can work with low cost dry mechanical pumps
- High compression ratio for light and heavy gases.
- Rugged Rotor Bearings for reliability
- Dry cooling with inert gas purging facility
- Integrated sealing gas system to purge bearings
- Chemical version for corrosive gas handling
- To be used in applications involving ultra clean, oil free and high vacuum sputtering system

2. **Description of Turbo Molecular Pump:**

S. No.	Description of Item	Quantity
1	Turbo Molecular Pump -Turbomolecular pump with pumping speed ≥ 400 litres/sec (higher & variable preferable) to be used for obtaining high vacuum (10^{-2} to 10^{-8} torr) for sputtering system in ultraclean, moisture resistant and corrosive free environment. The system should have magnetically levitated rotor bearings so that it should be completely oil-free. The system should have flange size of CF150 so that it is compatible with the sputtering system. It must have low noise levels and should be a dry version. It should be compatible with 220V/50Hz single phase power supply. The system must be corrosive version for operation in corrosive gas processes. Digital control unit with suitable vacuum gauge should be provided for measuring high vacuum.	01

3. **Detailed Specifications for Turbo Molecular Pump:**

- A) **Vacuum Range:** 10^{-2} to 10^{-8} torr
- B) **Ultimate Pressure:** 10^{-9} mbar or better
- C) **Pumping Speed for Nitrogen:** ≥ 400 Liters/sec (Higher Preferable)
- D) **Flange Size:** CF150
- E) **Noise Level:** < 60 db (Lower Preferable)
- F) **Wet/Dry:** Dry version
- G) **Corrosive Version:** compatible with corrosive gas applications
- H) **Display Control Unit:** a suitable digital display control unit
- I) **Vacuum gauge:** for measuring high vacuum
- J) **Cable:** connection cables
- K) **Cooling:** pump cooling via air
- L) **Emergency Vent:** A suitable Automatic vent in case of emergency
- M) **Vacuum pipe lines:** of stainless steel with bellow adaptors provided to arrest the vibrations
- N) **Input mains power:** single phase 220V/50Hz

**Compliance statement for the tender specifications INDIAN
INSTITUTE OF TECHNOLOGY MANDI HIMACHAL
PRADESH-175001**

Ref:-ENQUIRY NO:-IITMANDI/Admin/PUR-134/2014-15/ Item No.3/Turbo Molecular Pump

Instructions

1. You have to fill in all columns and ensure that you furnish all the required information accurately and unambiguously.
2. If our specification contains any values, you have to provide your values against the column in the same unit as we have specified.
3. Deviation in values, materials etc. from our specification may be explained in the remarks column

S. NO	Check list of documents/ Undertakings ?	YES/NO	Remarks (Give explanation if answer is No)
1	Is Tender fees attached?		
2	Is EMD attached? (if applicable)		
3	Is the bidder original equipment manufacturer (OEM)/authorised dealer?		
4	If authorised dealer, recent dated certificate to this effect from OEM, attached or not?		
5	Undertaking from OEM regarding technical support & extended warranty period		
6	Validity of 180 days or not?		
7	Undertaking from bidder regarding acceptance of tender terms & conditions		
8	Whether list of reputed users (along with telephone numbers of contact persons) for the past three years specific to the instrument attached.		
9	Whether special educational discount for Indian Institute of Technology (IIT) Mandi (H.P) given.		
10	Whether two weeks training of operator and research students without any charges offered.		
11	Does the instrument complies with all the specifications from S.no. 1 to 3. Attach a separate sheet showing compliance with the specifications and explanations thereto if the equipments varies from the requested specifications.		
12	Whether free Installation, Commissioning and Application Training offered.		
13	Whether Three years comprehensive on-site extended warranty offered.		
14	Whether Annual maintenance after expiry of comprehensive onsite warranty quoted separately as optional.		

Annexure 4

Ref:-ENQUIRYNO:-IITMANDI/Admin/PUR-134/2014-15/ Item No.4/Rotary Pump

Procurement of Rotary Pump for sputtering system

The specifications required for Rotary Pump are given below:

- A) **Ultimate Vacuum:** $\geq 10^{-2}$ torr (Higher preferable)
- B) **Displacement Capacity:** ≥ 5 cfm (Higher preferable)
- C) **Input Voltage:** 220 V AC $\pm 10\%$, 50-60 Hz
- D) **Pressure Measurement Gauge:** Pirani Gauge with LCD Display (Capable of measuring other Pump pressure too)
- E) **Version:** Dry version with scroll pump technology
- F) **Noise Level:** 50 dBA or less
- G) **Flange Size:** KF25

Compliance statement for the tender specifications
INDIAN INSTITUTE OF TECHNOLOGY MANDI HIMACHAL
PRADESH-175001

Ref:-ENQUIRY NO:-IITMANDI/Admin/PUR-134/2014-15/ Item No.4/Rotary Pump

Instructions

1. You have to fill in all columns and ensure that you furnish all the required information accurately and unambiguously.
2. If our specification contains any values, you have to provide your values against the column in the same unit as we have specified.
3. Deviation in values, materials etc. from our specification may be explained in the remarks column

S. NO	Check list of documents/ Undertakings ?	YES/NO	Remarks (Give explanation if answer is No)
1	Is Tender fees attached?		
2	Is EMD attached? (if applicable)		
3	Is the bidder original equipment manufacturer (OEM)/authorised dealer?		
4	If authorised dealer, recent dated certificate to this effect from OEM, attached or not?		
5	Undertaking from OEM regarding technical support & extended warranty period		
6	Validity of 180 days or not?		
7	Undertaking from bidder regarding acceptance of tender terms & conditions		
8	Whether list of reputed users (along with telephone numbers of contact persons) for the past three years specific to the instrument attached.		
9	Whether special educational discount for Indian Institute of Technology (IIT) Mandi (H.P) given.		
10	Whether two weeks training of operator and research students without any charges offered.		
11	Does the instrument complies with all the specifications from S.no. A to G. Attach a separate sheet showing compliance with the specifications and explanations thereto if the equipments varies from the requested specifications.		
12	Whether free Installation, Commissioning and Application Training offered.		
13	Whether Three years comprehensive on-site extended warranty offered.		
14	Whether Annual maintenance after expiry of comprehensive onsite warranty quoted separately as optional.		

Annexure 5

Ref:-ENQUIRYNO:-IITMANDI/Admin/PUR-134/2014-15/ Item No. 5/Gas Mass Flow Controller

Procurement of Gas Mass Flow Controller for Sputtering System

The following are the specifications required for turbo Mass Flow Controllers:

A) Four Gas Feeding Systems are required:

- **For Gases:** Nitrogen, Hydrogen, Oxygen, Argon
- **Flow rate range:** 0-500 ml/min
- **Operation pressure:** atmospheric to 50 bar psi

B) Display: Integrated Display, displaying MFC measured and/or controlled parameters such as: Mass Flow Rate, Volumetric Flow Rate, Pressure, Temperature and Set Point.

C) Response speed: 100 msec or less.

D) Accuracy: (0.8% of reading + 0.2% of full scale) at calibration conditions after tare.

E) Controllable flow rate: 102.4% of full scale.

F) Maximum inlet pressure: less than 10 bar.

G) Controllable flow rate: 102.4% of full scale.

H) Operating Temperature: -10 to 50 °C.

I) Capability to operate the MFC in the following modes: Serial {RS-232}, Analogue {0-5VDC} and Standalone {i.e. through front display push buttons}.

J) Maximum inlet pressure: less than 10 bar.

K) Supply Voltage: 24 – 30VDC

L) Supply Current: 1A.

Compliance statement for the tender specifications
INDIAN INSTITUTE OF TECHNOLOGY MANDI HIMACHAL
PRADESH-175001

Ref:-ENQUIRY NO:-IITMANDI/Admin/PUR-134/2014-15/ Item No.5/Gas Mass Flow Controller

Instructions

1. You have to fill in all columns and ensure that you furnish all the required information accurately and unambiguously.
2. If our specification contains any values, you have to provide your values against the column in the same unit as we have specified.
3. Deviation in values, materials etc. from our specification may be explained in the remarks column

S. NO	Check list of documents/ Undertakings ?	YES/NO	Remarks (Give explanation if answer is No)
1	Is Tender fees attached?		
2	Is EMD attached? (if applicable)		
3	Is the bidder original equipment manufacturer (OEM)/authorised dealer?		
4	If authorised dealer, recent dated certificate to this effect from OEM, attached or not?		
5	Undertaking from OEM regarding technical support & extended warranty period		
6	Validity of 180 days or not?		
7	Undertaking from bidder regarding acceptance of tender terms & conditions		
8	Whether list of reputed users (along with telephone numbers of contact persons) for the past three years specific to the instrument attached.		
9	Whether special educational discount for Indian Institute of Technology (IIT) Mandi (H.P) given.		
10	Whether two weeks training of operator and research students without any charges offered.		
11	Does the instrument complies with all the specifications from S.no. A to L. Attach a separate sheet showing compliance with the specifications and explanations thereto if the equipments varies from the requested specifications.		
12	Whether free Installation, Commissioning and Application Training offered.		
13	Whether Three years comprehensive on-site extended warranty offered.		
14	Whether Annual maintenance after expiry of comprehensive onsite warranty quoted separately as optional.		