



**QUOTATION ENQUIRY**

**No:- IITMANDI/SE/TEN/2011-12/WORKSHOP/5**

**Date: 05.11.2011**

Sealed quotations are invited for the following items as per specifications mentioned below: -

SR.NO	ITEMS	TECHNICAL SPECIFICATION	QUANTITY	MAKE
1	ADJUSTABLE WRENCH	OPENING RANGE 1.5/8", LENGTH(12")	3	TAPARIA
2	ALLEN KEY	SET (L SHAPED) HEXAGONAL STANDARD(1.5MM TO 10MM), MADE OF HIGH TORQUE STEEL	2	TAPARIA/DURTOOL
3	ANVILCI WITH STAND	100KG	1	
4	BALL PEEN HAMMER	32OZ OR 1KG	3	
5	BALL PEEN HAMMER	16OZ OR 0.5KGS	3	
6	BENT SNIP	FOR METAL CUTTING PERPOUSE (GI. ETC.)	3	
7	BORING BAR	10MM DIA,100MM LENGTH	1	
8	CENTER PUNCH	5" LENGTH, 90 DEGREE POINT ANGLE, HEXAGONAL SIZE 1/2"	2	
9	CHIPPING HAMMER	0.3KGS WEIGHT	3	
10	CLAMPS (C) OF DIFFRENT SIZE	10CM, 15CM, 20CM, 30CM	4	
11	COMBINATION PLAIER	8" LENGTH ,17/32"JAW LENGTH	2	TAPARIA/DURATool
12	COMBINATION SET	300MM	1	
13	DEVIDER	SPRING TYPE, TOTAL LENGTH 6"	2	
14	DIAL INDICATOR WITH MEGNETIC STAND,	0.001 MICRON LEAST CONT	2	MITUTOYO
15	DIMOND DRESSER	1/4 KARAT V4 DIMOND DRESSOR 7/16" SHANK	1	
16	DIMOND KNUNRLING TOOL	6 HEAD, 6"KNURLING TOOL, DIA METER OF THE WHEEL IS 10MM	2	
17	DOT PUNCH	2" LENGTH POINT ANGLE 60 DEGREE	2	
18	ELECTRIC HAND DRILL	DRILL CAPACITY 13MM ,LOAD SPEED 2200RPM ,RATED INPUT POWER 550W	1	BOSCH
19	FILE (SQUARE)	LENGTH 300MM 2ND CUT/ROUGH	2	BAHCO
20	FILE (SQUARE)	LENGTH 300MM 2ND CUT/SMOOTH	2	BAHCO
21	FILE(TRIANGULAR)	LENGTH 300MM 2ND CUT/ROUGH	2	BAHCO
22	FILE(TRIANGULAR)	LENGTH 150MM 2ND CUT /ROUGH	2	BAHCO
23	FILE(TRIANGULAR)	LENGTH 300MM 2ND CUT/SMOOTH	2	BAHCO
24	FILE(TRIANGULAR)	LENGTH 150MM 2ND CUT SMOOTH	2	BAHCO
25	FILES (FLAT)	LENGTH 300MM 2ND CUT/ROUGH	2	BAHCO
26	FILES (FLAT)	LENGTH 300MM 2ND CUT/SMOOTH	2	BAHCO
27	FILES(HALF ROUND)	LENGTH 300MM 2ND CUT/ROUGH	2	BAHCO

28	FILES(HALF ROUND)	LENGTH 300MM 2ND CUT/SMOOTH	2	BAHCO
29	FILES(ROUND)	LENGTH 300MM 2ND CUT/ROUGH	2	BAHCO
30	FILES(ROUND)	LENGTH 300MM 2ND CUT/SMOOTH	2	BAHCO
31	FLAT CHISSEL	5/16" HEXOGNAL IN SIZE,1/4" POINT EDGE , 5" LENGTH	1	
32	GOOGLES PAIR WELDER	STANDARD SIZE, WEIGHT 0.2 KGS	7	
33	HACKSAW FRAME ADJUSTABLE	200×300MM,12" BLADE	7	
34	HACKSAW FRAME SOLID	300MM LENGTH 12" BLADE	7	
35	HOLLOW PUNCH	HOLE SIZE 2.5,3,4,5,6,7,8,9	1	
36	JIG SAW	740 WATTS, 850 ~ 3000SPM	1	
37	LEFT HAND TOOL HOLDER (LATHE)	OVERALL LENGTH 100MM, SHANK HEIGHT 20MM, INSERT HEIGHT 20MM,HEAD LENGTH 25MM, SHANK WIDTH 25MM	2	
38	LETTER PUNCH	A-Z CHARACTER,FIGURE SIZE 1/8", SQUARE BLOCK 1/4", OVER ALL LENGTH 2"	2	
39	MALLET	SOFT NYLON 360MM LENGTH, 44MM DIA	2	
40	MALLET	WOODEN (HARD)	10	
41	MICROMETER (ORDINEARY&DEGITAL)	OUT SIDE MEASURING, RANGE 75-100MM ,0.01 LEAST CONT	2	MITUTOYO
42	MICROMETER(ORDINEAR Y&DEGITAL)	OUT SIDE MEASURING, RANGE 0-25MM, 0.01 LEAST CONT	2	MITUTOYO
43	MICROMETER(ORDINEAR Y&DEGITAL)	OUT SIDE MEASURING, RANGE 25-50MM, 0.01 LEAST CONT	2	MITUTOYO
44	MICROMETER(ORDINEAR Y&DEGITAL)	OUT SIDE MEASURING, RANGE 50-75MM, 0.01 LEAST CONT	2	MITUTOYO
45	NUMBER PUNCH	0-9 CHARACTER, SIZE FIGURE SIZE 1/8", SQUARE BLOCK 1/4", OVER ALL LENGTH 2"	2	
46	OPEN JAW WRENCH	6-25MM (SET)	2	TAPARIA
47	PIPE WRENCH	12" TOTAL LENGTH,3/4" JAWS OPENING RANGE	1	TAPARIA
48	RADIUS GUAGE	RANGE1 5.5MM TO 25MM	1	MITUTOYO
49	RIGHT HAND TOOL HOLER(LATHE)	OVERALL LENGTH 100MM, SHANK HEIGHT 20MM, INSERT HEIGHT 20MM,HEAD LENGTH 25MM, SHANK WIDTH 25MM	2	
50	RING WRENCH	COMPLETE SET DOUBLE END 6×7- 30×32MM	1	
51	SCREW DRIVER	SET	4	TAPARIA
52	SCREW PITCH GUAGE	METRIC	1	
53	SCRIBER	OVERALL LENGTH 230MM (SINGLE POINT AND DOUBLE POINT)	5	
54	SLIP GUAGE	METRIC SET	2	
55	SNIPS-SPRING TYPE WITH PLASTIC COVERED HANDLE	CARBON STEEL MATERIAL, METAL CUTTING PERPOUSE,COMPLETE SET 10" SIZE	10	
56	SPARK LIGHTER	190MM LONG	5	
57	SPRING CALLIPER- OUTSIDE AND INSIDE	6" LENGTH	2	

58	SPRING DEVIDER,TRAMMEL	6" LENGTH	1	
59	SPRIT LEVEL	10" IN SIZE	2	
60	SPRUE CUTTER	COMPLETE SET	2	
61	SPRUE PIN	COMPLETE SET	2	
62	STANDARD WIRE GUAGE	MEASURING RANGE 0-36MM DIA	1	
63	STEEL FOOT RULE	300MM	5	CLASSIC
64	STEEL FOOT RULE	150MM	10	CLASSIC
65	STEEL FOOT RULE	600MM	2	
66	STEEL FOOT RULE	100MM	5	CLASSIC
67	STEEL MEASURING TAPE	20M FLEXIBLE IN CASE	1	
68	STORAGE RACKS SELF	METALLIC 2000×500×2000MM	8	
69	STRAIGHT KNUNRLING TOOL	1.5" SHANK SQUARE, 4" LONG	2	
70	STRAIGHT SHANK TWISTED DRILL	1MM TO 13MM DIA COMPLETE SET IN METAL BOX, H.S.S MATERIAL	1	
71	STRAIGHT TOOL HOLDER (LATHE)	OVERALL LENGTH 100MM, SHANK HEIGHT 20MM, INSERT HEIGHT 20MM,HEAD LENGTH 25MM, SHANK WIDTH 25MM	2	
72	SURFACE PLATE	450×450 MM	2	
73	SWAGE BLOCK CI	14"×14"×5" APROX	1	
74	TAP& DIE	COMPLETE SET BOX, METRIC SUITABLE FOR DIE 14 TO 24MM, TWO DIE STOCK TAP WRENCH (25 PCS SET)	1	
75	TAPER SHANK TWISTED DRILL	5MM-30MM DIA COMPLETE SET, H.S.S MATERIAL	2	
76	TONG HOLDING	30CM LONG (SET)	5	
77	TOOL CABINETS	8 DRAWRS, 4 FEET HEIGHT, 3 FEET WIDTH, 3FEET DEPTH APPROX	7	
78	TRY SQUARE	200MM	5	CLASSIC
79	TRY SQUARE	300 MM	5	CLASSIC
80	VERNIER CALLIPER ORDINEARY	150MM MEASURING LENGTH, LEAST CONT 0.02MM	7	MITUTOYO
81	VERNIER CALLIPERS DEGITAL	150MM MEASURING LENGTH, LEAST CONT 0.01MM	2	MITUTOYO
82	VERNIER CALLIPERS DEGITAL	MEASURING LENGTH 300MM LEAST CONT 0.01MM	2	MITUTOYO
83	VERNIER CALLIPERS ORDINEARY	MEASURING LENGTH 300MM LEAST CONT 0.02MM	2	MITUTOYO
84	VERVIER HEIGHT GAUGE	300MM.LC 0.02MM	2	MITUTOYO
85	VISE(BENCH)	5" JAWS OPENING RANGE	10	IRWIN
86	WELDING APPRON	STANDARD SIZE(PAIR)	5	
87	WELDING GLOUVES	STANDARD SIZE(PAIR)	5	
88	WELDING HELIMET	HIGH QUALITY VIEW AREA 5.25×4.50 IN FLAT	5	
89	WIRE BRUSH	CARBON STEEL BRISTLE 10"×17/16"×5"	5	DURATOOL

The Quotations will be received up to **21.11.2011 at 12.00noon.**

Quotations will be opened on **24.11.2011 at 04:30pm.**

Representatives of the firm(s) may be present at the time of opening the quotation if they so desire. The quotations should bear full details and where ever possible, be duly supported with catalogs, pamphlets, literature as the case may be for comparing the quality and rates of\ the item. The following instructions should be strictly observed for submitting the quotations failing which the quotations shall be liable for rejection.

1. A Demand draft of Rs.1,000/-(Rupees One Thousand only) towards non-refundable tender fee drawn in favor of "The Registrar, IIT Mandi" payable at Mandi should accompany the bid document.

2. A refundable amount @ 2% of the quoted price as earnest money deposit (EMD) in the shape of DD drawn in favor of "The Registrar, IIT Mandi" payable at Mandi should accompany the Financial bid documents. Without EMD the bid will not be considered.

3. The quotations should be submitted on **printed pad preferably with sales tax number** of the firm. The quotation must bear original signature.

4. The quotations shall be submitted at the Academic Block in a sealed envelope duly marked "Quotation against enquiry no. **IIT Mandi/SE/TEN/2011-12/WORKSHOP/5** dated **05/11/2011** due on **21/11/2011**" on the corner of the envelope, Or it can be sent through courier, speed post or registered post, The postal address is:

**The Dean (Academics)**

**Indian Institute of Technology Mandi (IIT Mandi)**

**Academic Block (Vallabh Degree College Campus)**

**Mandi – 175001 (H.P), Contact No. : 01905237920**

5. Quotation received after closing date/time will not be considered.

6. The rates quoted **should include transportation costs up to Mandi** clearly mentioning the percentage/rate of **Sales Tax / VAT** or all other Taxes and Duties and the rates quoted should be valid for at-least 45 days from the date of opening of the quotation. No extra charges of packing/freight/transportation will be admissible.

7. The **rates must be quoted both in figures and words** and over writing should be avoided. However all cuttings/corrections must be duly authenticated.

8. While sending rates, the firm shall give an undertaking to the effect that the terms/conditions mentioned in the enquiry letter against which the rates are being given are acceptable to the firm. In case the firm does not give this undertaking their rates will not be considered.

9. If the supplier/firm is manufacturer/authorized dealer/sole distributor/of any item, the certificate to this effect should be attached with quotation.

10. The payment will be made on receipt of items and check with regard to quality and quantity of the items supplied and on submission of per-receipted bill by the firm.

11. The bidder should invariably give the detail of the specifications of their product in the same quotation / order.(See Annexe-1).

12. Period required for Delivery should be clearly mentioned.

13. The IIT Mandi reserves the right to reject any quotation wholly or partly without assigning any reason

Dean Academic

## Annexure [1]

<b>SR.NO</b>	<b>ITEMS</b>	<b>REQUIRED SPECIFICATION</b>	<b>REQUIRED MAKE</b>	<b>BIDDERS SPECIFICATION</b>	<b>BIDDERS MAKE</b>
1	ADJUSTABLE SPANNER	OPENING RANGE 1.5/8", LENGTH(12")	TAPARIA		
2	ALLEN KEY	SET (L SHAPED) HEXAGONAL STANDARD(1.5MM TO 10MM), MADE OF HIGH TORQUE STEEL	TAPARIA/DURTOOL		
3	ANVIL WITH STAND	100KG			
4	BALL PEEN HAMMER	32OZ OR 1KG			
5	BALL PEEN HAMMER	16OZ OR 0.5KGS			
6	BENT SNIP	FOR METAL CUTTING PURPOSE (GI. ETC.)			
7	BORING BAR	10MM DIA,100MM LENGTH			
8	CENTER PUNCH	5" LENGTH, 90 DEGREE POINT ANGLE, HEXAGONAL SIZE 1/2"			
9	CHIPPING HAMMER	0.3KGS WEIGHT			
10	CLAMPS (C) OF DIFFRENT SIZE	10CM, 15CM, 20CM, 30CM			
11	COMBINATION PLAIER	8" LENGTH ,17/32"JAW LENGTH	TAPARIA/DURATOO L		
12	COMBINATION SET	300MM			
13	DEVIDER	SPRING TYPE, TOTAL LENGTH 6"			
14	DIAL INDICATOR WITH	0.001 MICRON LEAST	MITUTOYO		

	MEGNETIC STAND,	CONT			
15	DIMOND DRESSER	1/4 KARAT V4 DIMOND DRESSOR 7/16" SHANK			
16	DIMOND KNUNRLING TOOL	6 HEAD, 6"KNURLING TOOL, DIA METER OF THE WHEEL IS 10MM			
17	DOT PUNCH	2" LENGTH POINT ANGLE 60 DEGREE			
18	ELECTRIC HAND DRILL	DRILL CAPACITY 13MM ,LOAD SPEED 2200RPM ,RATED INPUT POWER 550W	BOSCH		
19	FILE (SQUARE)	LENGTH 300MM 2ND CUT/ROUGH	BAHCO		
20	FILE (SQUARE)	LENGTH 300MM 2ND CUT/SMOOTH	BAHCO		
21	FILE(TRIANGULAR)	LENGTH 300MM 2ND CUT/ROUGH	BAHCO		
22	FILE(TRIANGULAR)	LENGTH 150MM 2ND CUT /ROUGH	BAHCO		
23	FILE(TRIANGULAR)	LENGTH 300MM 2ND CUT/SMOOTH	BAHCO		
24	FILE(TRIANGULAR)	LENGTH 150MM 2ND CUT SMOOTH	BAHCO		
25	FILES (FLAT)	LENGTH 300MM 2ND CUT/ROUGH	BAHCO		
26	FILES (FLAT)	LENGTH 300MM 2ND CUT/SMOOTH	BAHCO		
27	FILES(HALF ROUND)	LENGTH 300MM 2ND CUT/ROUGH	BAHCO		
28	FILES(HALF ROUND)	LENGTH 300MM 2ND CUT/SMOOTH	BAHCO		
29	FILES(ROUND)	LENGTH 300MM 2ND CUT/ROUGH	BAHCO		
30	FILES(ROUND)	LENGTH 300MM 2ND CUT/SMOOTH	BAHCO		

31	FLAT CHISSEL	5/16" HEXOGNAL IN SIZE,1/4" POINT EDGE , 5" LENGTH			
32	GOOGLES PAIR WELDER	STANDARD SIZE, WEIGHT 0.2 KGS			
33	HACKSAW FRAME ADJUSTABLE	200×300MM,12" BLADE			
34	HACKSAW FRAME SOLID	300MM LENGTH 12" BLADE			
35	HOLLOW PUNCH	HOLE SIZE 2.5,3,4,5,6,7,8,9			
36	JIG SAW	740 WATTS, 850 ~ 3000SPM			
37	LEFT HAND TOOL HOLDER (LATHE)	OVERALL LENGTH 100MM, SHANK HEIGHT 20MM, INSERT HEIGHT 20MM,HEAD LENGTH 25MM, SHANK WIDTH 25MM			
38	LETTER PUNCH	A-Z CHARACTER,FIGURE SIZE 1/8", SQUARE BLOCK 1/4", OVER ALL LENGTH 2"			
39	MALLET	SOFT NYLON 360MM LENGTH, 44MM DIA			
40	MALLET	WOODEN (HARD)			
41	MICROMETER (ORDINEARY&DIGITAL)	OUT SIDE MEASURING, RANGE 75-100MM ,0.01 LEAST CONT	MITUTOYO		
42	MICROMETER(ORDINEARY&DIGITAL)	OUT SIDE MEASURING, RANGE 0-25MM, 0.01 LEAST CONT	MITUTOYO		
43	MICROMETER(ORDINEARY&DIGITAL)	OUT SIDE MEASURING, RANGE 25-50MM, 0.01 LEAST CONT	MITUTOYO		
44	MICROMETER(ORDINEARY&DIGITAL)	OUT SIDE MEASURING, RANGE 50-75MM, 0.01 LEAST CONT	MITUTOYO		

45	NUMBER PUNCH	0-9 CHARACTER, SIZE FIGURE SIZE 1/8", SQUARE BLOCK 1/4", OVER ALL LENGTH  2"			
46	OPEN JAW SPANNER	6-25MM (SET)	TAPARIA		
47	PIPE WRENCH	12" TOTAL LENGTH,3/4" JAWS OPENING RANGE	TAPARIA		
48	RADIUS GUAGE	RANGE1 5.5MM TO 25MM	MITUTOYO		
49	RIGHT HAND TOOL HOLER(LATHE)	OVERALL LENGTH 100MM, SHANK HEIGHT 20MM, INSERT HEIGHT 20MM,HEAD LENGTH 25MM, SHANK WIDTH 25MM			
50	RING SPANNER	COMPLETE SET DOUBLE END 6×7- 30×32MM			
51	SCREW DRIVER	SET	TAPARIA		
52	SCREW PITCH GUAGE	METRIC			
53	SCRIBER	OVERALL LENGTH 230MM (SINGLE POINT AND DOUBLE POINT)			
54	SLIP GUAGE	METRIC SET			
55	SNIPS-SPRING TYPE WITH PLASTIC COVERED HANDLE	CARBON STEEL MATERIAL, METAL CUTTING PERPOUSE,COMPLETE SET 10" SIZE			
56	SPARK LIGHTER	190MM LONG			
57	SPRING CALLIPER- OUTSIDE AND INSIDE	6" LENGTH			
58	SPRING DEVIDER,TRAM MEL	6" LENGTH			

59	SPRIT LEVEL	10" IN SIZE			
60	SPRUE CUTTER	COMPLETE SET			
61	SPRUE PIN	COMPLETE SET			
62	STANDARD WIRE GUAGE	MEASURING RANGE 0-36MM DIA			
63	STEEL FOOT RULE	300MM	CLASSIC		
64	STEEL FOOT RULE	150MM	CLASSIC		
65	STEEL FOOT RULE	600MM			
66	STEEL FOOT RULE	100MM	CLASSIC		
67	STEEL MEASURING TAPE	20M FLEXIBLE IN CASE			
68	STORAGE RACKS SELF	METALLIC 2000×500×2000MM			
69	STRAIGHT KNUNRLING TOOL	1.5" SHANK SQUARE, 4" LONG			
70	STRAIGHT SHANK TWISTED DRILL	1MM TO 13MM DIA COMPLETE SET IN METAL BOX, H.S.S MATERIAL			
71	STRAIGHT TOOL HOLDER (LATHE)	OVERALL LENGTH 100MM, SHANK HEIGHT 20MM, INSERT HEIGHT 20MM, HEAD LENGTH 25MM, SHANK WIDTH 25MM			
72	SURFACE PLATE	450×450 MM			
73	SWAGE BLOCK CI	14"×14"×5" APROX			
74	TAP& DIE	COMPLETE SET BOX, METRIC SUITABLE FOR DIE 14 TO 24MM, TWO DIE STOCK TAP			

		WRENCH (25 PCS SET)			
75	TAPER SHANK TWISTED DRILL	5MM-30MM DIA COMPLETE SET, H.S.S MATERIAL			
76	TONG HOLDING	30CM LONG (SET)			
77	TOOL CABINETS	8 DRAWRS, 4 FEET HEIGHT, 3 FEET WIDTH, 3FEET DEPTH APPROX			
78	TRY SQUARE	200MM	CLASSIC		
79	TRY SQUARE	300 MM	CLASSIC		
80	VERNIER CALLIPER ORDINEARY	150MM MEASURING LENGTH, LEAST CONT 0.02MM	MITUTOYO		
81	VERNIER CALLIPERS DEGITAL	150MM MEASURING LENGTH, LEAST CONT 0.01MM	MITUTOYO		
82	VERNIER CALLIPERS DEGITAL	MEASURING LENGTH 300MM LEAST CONT 0.01MM	MITUTOYO		
83	VERNIER CALLIPERS ORDINEARY	MEASURING LENGTH 300MM LEAST CONT 0.02MM	MITUTOYO		
84	VERVIER HEIGHT GAUGE	300MM.LC 0.02MM	MITUTOYO		
85	WISE(BENCH)	5" JAWS OPENING RANGE	IRWIN		
86	WELDING APPRON	STANDARD SIZE(PAIR)			
87	WELDING GLOUVES	STANDARD SIZE(PAIR)			
88	WELDING HELMET	HIGH QUALITY VIEW AREA 5.25×4.50 IN FLAT			
89	WIRE BRUSH	CARBON STEEL BRISTLE 10"×17/16"×5"	DURATOOL		